NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

The drawing(s) filed (insert date) 9-28-00 are:

A. approved by the Draftsperson under 37 CFR 1.84 or 1.152.

B. objected to by the Draftsperson under 37 CFR 1.84 or 1.152 for the reasons indicated below. The Examiner will require submission of new, corrected drawings when necessary. Corrected drawing must be sumitted according to the instructions on the back of this notice.

ł.	DRAWINGS, 37 CFR 1.84(a): Acceptable categories of drawings:	8. ARRANGEMENT OF VIEWS, 37 CFR 1.84(i)
	Black ink. Color.	Words do not appear on a horizontal, left-to-right fashion
	Color drawings are not acceptable until petiton is granted.	when page is either upright or turned so that the top
	Fig(s)	becomes the right side, except for graphs. Fig(s)
	Pencil and non black ink not permitted. Fig(s)	9. SCALE, 37 CFR 1.84(k)
2.	PHOTOGRAPHS: 37 CFR 1.84(b)	Scale not large enough to show mechanism without
	I full-tone set is required. Fig(s)	crowding when drawing is reduced in size to two-thirds in
	Photographs may not be mounted, 37 CFR 1.84(e)	reproduction.
	Poor quality (half-tone). Fig(s)	Fig(s)
3.	TYPE OF PAPER. 37 CFR 1.84(e)	10. CHARACTER OF LINES, NUMBERS, & LETTERS.
	Paper not flexible, strong, white, and durable.	.37 CFR 1.84(i)
	Fig(s)	Lines, numbers & letters not uniformly thick and well
	Erasures, alterations, overwritings, interlineations,	defined, clean, durable, and black (poor line quality).
	folds, copy machine marks not accepted. Fig(s)	Fig(s) 1.2
	Mylar, velum paper is not acceptable (too thin).	11. SHADING: 37 CFR 1.84(m)
	Figs)	Solid black areas pale. Fig(s)
4.	SIZE OF PAPER: 37 CFR 1.84(f): Acceptable sizes:	Solid black shading not permitted. Fig(s) [2
	21.0 cm by 29.7 cm (DIN size A4)	Shade lines, pale, rough and blurred. Fig(s)
	21.6 cm by 27.9 cm (\$ 1.2 x 11 inches)	12. NUMBERS, LETTERS, & REFERENCE CHARACTERS.
	All drawing sheets not the same size.	37 CFR 1.84(p)
	Sheet(s)	Numbers and reference characters not plain and legible.
÷	Drawings sheets not an acceptable size. Fig(s)	Fig(s)
٥.	MARGINS, 37 CFR 1.84(g): Acceptable margins:	Figure legends are poor. Fig(s)
		Numbers and reference characters not oriented in the
	Top 2.5 cm Left 2.5cm Right 1.5 cm Bottom 1.0 cm	same direction as the view, 37 CFR 1.84(p)(1)
İ	SIZE: A4 Size	Fig(s)
	Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm	English alphabet not used. 37 CFR 1.84(p)(2)
ļ	SIZE: 81'2x 11	Figs
	Margins not acceptable. Fig(s)	Numbers, letters and reference characters must be at least
İ	Top (T) Left (L) Right (R) Bottom (B)	.32 cm (1.8 inch) in height. 37 CFR 1.84(p)(3)
_ ا	VIEWS, 37 CFR 1.84(h)	Fig(s)
٧.	REMINDER: Specification may require revision to	Lead lines cross each other. Fig(s)
	correspond to drawing changes.	— Lead lines missing. Fig(s)
	Partial views. 37 CFR 1.84(h)(2)	14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(1)
	Brackets needed to show figure as one entity.	Sheets not numbered consecutively, and in Arabic numerals
	Figts)	beginning with number 1. Sheet(s)
	Views not labeled separately or properly.	15. NUMBERING OF VIEWS, 37 CFR 1.84(u)
	Fig(s)	Views not numbered consecutively, and in Arabic numerals.
	Enlarged view not labeled separetely or properly.	beginning with number 1. Fig(s)
	Fig(s)	16. CORRECTIONS, 37 CFR 1.84(w)
	V. *	Corrections not made from prior PTO-948
7.	SECTIONAL VIEWS, 37 CFR 1.84 (b)(3)	dated
l "	Hatching not indicated for sectional portions of an object.	17. DESIGN DRAWINGS, 37 CFR 1.152
l	Fig(s)	Surface shading shown not appropriate. Fig(s)
i	Sectional designation should be noted with Arabic or	Solid black shading not used for color contrast.
ı	Roman numbers. Figts:	Fig(s)
ļ		
7	COMMENTS	1
ļ `	COMMENTS	
1	•	
1		
1		
1		
1		

REVIEWER J. CHASE	DATE 4 · 3 -02	TELEPHONE NO. 703 365 6436
ATTACHMENT TO PAPER NO.		

REMINDER

205,265

The present of the present of the contract trademark of the present of the presen Fig. 1 is changed to Fig. 1A. Fig. 1B. Fig. 1C, etc., the specification, at the Brief Description of/the/Drawing/must likewise be changed. Please make such changes by 37 CFR 1.312 Amendment at the time of submitting drawings.

Form FTO 948 (Re

A. Approved by the Dratisperson under 37 CFR 1.84 or 1.152.

B. 12 objected to by the Dratisperson under 37 CFR 1 64 or 1.152 for the reasons indicated below. The Evanine: will require

submission of new corrected drawings when pressent of the back of this notice.

Corrections other than Decested to the Drawing Review Branch. Timing for Corrections of Allowshifts? 1907.37. Saline to take corrective action will be allowed by the Drawing Review Branch on the Form PTO-948 Take 18 PTO-98 and P		1. 20 August 19
Long the property with the changes in the company of the company o	• •	
the new drawings with the changes should be proposed therein. Identifying-indicia, if provided should implied the continuous provided the proposed part of the proposed part of the provided the proposed part of the propo	Correction of Drawings - 37 CFR 1.85	· · · · · · · · · · · · · · · · · · ·
the of the investigation, any entropy and application number, or docket number, (if any) if an application unber has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet, and centered, within the following margin. The drawing should be filed as a separate paper within a samital letter addressed to the Drawing Review Branch. If you have all the content of the provided of the provi		Fig(s)
the of the investigation, any entropy and application number, or docket number, (if any) if an application unber has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet, and centered, within the following margin. The drawing should be filed as a separate paper within a samital letter addressed to the Drawing Review Branch. If you have all the content of the provided of the provi	ile new drawings with the changes incorporated therein.	Identifying-indicia, if provided, should include the
umber has not been assigned to the application. If this information is provided, it must be faced from the front of each sheet, and centered within the popularity of the food of each sheet, and centered within the popularity of the food of the fo	tle of the invention, inventor's name, and application of	umber or docket number (if any) if an application
f each sheet, and centered within the top margin, The drawing should be filed as superprine pages with a samintal letter addressed to the Drawing-Review Branch. It is also above it of the top of th		
ansmittal letter addressed to the Drawing-Reveiw Branch. (a) who add to critical as a control & control (a) and (b) and (c) a	c 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Poor quality (half-tohe). Fig(s)
(a) The state of colors are certal to restroy to manage the state of colors are compared to the control of the state of th		
Timing for Corrections 1 get 1 get 200 (1994) and the control of the proposed of the control of the proposed of the control of the proposed of the control of the proposed of the control of the proposed of the control of the control of the proposed of the control of the contro		Paper not flexible, strong, white, and durable.
Timing for Corrections 1 194 (1923 A 1923 A		Figures alterations constatitions insertinguions
in the Notice of Allowability (PTOL-37) Self (PARAM) (PARAM) (PARAM Allowability (PTOL-37) Self (PARAM) (PARAM Allowability (PTOL-37) Self (PARAM) (PARAM Allowability (PTOL-37) Self (PARAM Allowability		
poplicant is required to submit acceptable corrected drawings within the three-month shortened statutory. The population of the Anglocation of the		Mylar, velum paper is not acceptable (100 thin).
eriod set. in the Notice of Allowability (PTOL-37). (BA ASSIGNAM) of SECTION (BETTOL-37). (BETTOL-37)	Solid block areas pale. Fig(s)	awings within the three month shortened statutors
ailure to take corrective action within set? period will result in ABANDOMMENT of the Applications [1984] 2004 [19	rppicant is required no submit acceptable corrected of	
ailure to take corrective action within set? period will result in ABANDOMMENT of the Applications [1984] 2004 [19	2. (CLAUTERS LETTERS & REFERENCE CHARACTERS	
Corrections other than Defects Noted by the Drawing Review Branch on the Form PTO-948 (1991-18-17) (2009-18-18-17) (2009-18-18-17) (2009-18-18-17) (2009-18-18-17) (2009-18-18-17) (2009-18-18-17) (2009-18-18-17) (2009-18-18-17) (2009-18-18-17) (2009-18-18-18-18-18-18-18-18-18-18-18-18-18-	*1 CYR 1 S4(p)	
Corrections other than Defects. Noted by the Drawing Review Branch on the Port PTO-948. (Page 1877 S. 287 Ltd. 287 S. 28		sult in ABANDONMENT of the Application!
Corrections other than Defects Noted by the Drawing Review Branch on the Form PTO-948 (Figure 1 BTO 7 are all an address one of the proposed of the proposed by the Drawing Review Branch; MUST be approved by the examinent before the application will be allowed. No changes will be permitted other than correction of feeds, unless the examinent has approved the proposed changes. [1947] [6184] \$470.7 carls (A-1) if the proposed changes. [1947] [6184] \$470.7 carls (A-1) if the proposed changes. [6184] \$470.7 carls (A-1) if the proposed changes. [6184] \$470.7 carls (A-1) if the proposed changes. [6184] \$470.7 carls (A-1) if the proposed changes. [6184] \$470.7 carls (A-1) if the proposed changes. [6184] \$470.7 carls (A-1) if the proposed changes. [6184] \$470.7 carls (A-1) if the proposed changes. [6184] \$470.7 carls (A-1) if the proposed changes. [6184] \$470.7 carls (A-1) if the proposed changes. [6184] \$470.7 carls (A-1) if the proposed changes. [6184] \$470.7 carls (A-1) if the proposed changes. [6184] \$470.7 carls (A-1) if the proposed changes. [6185] \$470.7 carls (A-1) if the proposed changes. [6185] \$470.7 carls (A-1) if the proposed changes. [6186] \$470.7 carls (A-1) if the proposed changes. [6186] \$470.7 carls (A-1) if the proposed changes. [6187] \$470.7 carls (A-1) if the proposed changes. [6187] \$470.7 carls (A-1) if the proposed changes. [6188] \$470.7 carls (A-1) if the proposed changes. [6187] \$470.7 carls (A-1) if the proposed changes. [6187] \$470.7 carls (A-1) if the proposed changes. [6188] \$470.7 carls (A-1) if the proposed changes. [6188] \$470.7 carls (A-1) if the proposed changes. [6189] \$470.7 carls (A-1) if the proposed changes. [6189] \$470.7 carls (A-1) if the proposed changes. [6189] \$470.7 carls (A-1) if the proposed changes. [6180] \$470.7 carls (A-1) if the proposed changes. [6180] \$470.7 carls (A-1) if the propose	The second secon	
To SECTIONAL WEWS. 37 CFR 15 ALL 1806. The common markets of the drawing Reviews and the proposed by the Drawing Reviews and the proposed to the drawing and the proposed through the application will be allowed. No changes will be permitted other than a polyment of the proposed that the proposed tha		
All changes to the drawing s, other than defects noted by the Drawing Review Branch, MUST Decayproved by the examiner before the application will be allowed. No changes will be permitted other by the proposed of the proposed changes. Country of the permitted of the proposed changes Country of the permitted	sany direction as the opp. NCR 1840g(1)	Top 2.5 cm Left 2.5 cm, Right 1.5 cm, Bestem 1.0 cm
Approximate perform the position of the proposed changes. Approximate the proposed ch	All the second of the description of the defeate noted but the	SiZF: Al Size
A VIEWS 37 CER 1.00 (13) (14) (15) (15) (15) (15) (15) (15) (15) (15		
Top 17 Struct State Struct State State	ne examiner defore the application-will be allowed. No	Margins not acceptable. Trigles of the development of the content
N. VIEWS. 37 CRR 18 (19.6) REALWINGER. Specification on great-or revision to drawing change. Partial views. 37 CRR 1.86 (19.7) Partial views. 37 CRR 1.86 (19.7) Partial views. 37 CRR 1.86 (19.7) Partial views. 47 CRR 1.86 (19.7) Partial view in Line Loss operatory or stopped. Partial view in Line Loss operatory or stopped. Partial views. 47 CRR 1.86 (19.7) Partial views. 48 (19.7) Part		changes. (T) que
REMINDER Specification may request to be cross on order. Figs.) correspond to drawing change. Partial views 7 CVR LeightC) Brackets neeth of what figure as an earlier. Brackets neeth of what figure as an earlier. Brackets neeth of what figure as an earlier. Figs.) Vews are now of separately of superately or supports. Figs.) 10 CORRECTIONS 2 CVR 1 Skip. Controllers on make from point PIO 020 Figs.) 11 DESIGN DRAWINGS 3 CVR 1 Skip. And the controllers are trianed to another well written set of a object. The Sectional designation should be noted with Arabic or Sectional designation should be noted with Arabic or Figs.) COMMENTS. REVIEWER. REVIEWER. DATE 4 3 - 02 TELEPHONE NO. 76 O 3 Section 2 Section 1 Section 1 Section 2 Section 2 Section 2 Section 2 Section 2 Section 3		
Commence of the drawing changes Panist views 3.7 GFR LNGIGHT Brackets are color of stay fugate so one config. Brackets are color of the stay fugate so one config. Parist Views 1.0 color of the stay fugate so one config. Parist Views 1.0 color of the stay fugate so one config. Parist Views 1.0 color of the stay fugate so one color of the stay		
Panis dees, 37 CF 1 Adv Magnetic or and cally. Bricks need at the stown factor or an early. Epts) Vows not another the stown factor or an early. Epts) Consecution of the stown factor or an early. Consecution of the stown factor or an early. The secution of the stown factor or an early. The secution of the stown factor or an early. The secution of the stown factor or an early or an early or an early or an early or an early or an early. The secution of the stown factor or an early or a		
Person P	14. NUMBERING OF SHEETS OF FRANKLIS IN CIRLLISH	Partial views, 37 CFR 1.84(h)(2)
Person and relaxabilities of the superation of t		
Pig(s) Vices and an authorized consistent of the property of stoped. Vices and authorized consistent of the property Pig(s) (Corrections and make from prior PTO 0.5)	The control of the co	
Calsiged view not late to expert on search Regular of the company of the comp		
Fig(s)	beginning with analyse 1 dec(s)	
7. SECTIONAL VIEWS. 37 CER. 1.4.1.1 Halching not enticated for sectional graining of an object 17. DESIGN DEAWINGS (CER. 1.5) Fig. Socious designation should be anoted on the Archic or Solid black shading not need by the Robert numbers. Fig. (S) COMMENTS COMMENTS Reviewer CALLY DATE 4.3.02 TELEPHONE NO. 703365693	16 CORRECTIONS, 37 CFR 1 Squit.	Fig(s)
Halching our mideated for sectionel partiess of an object 17. DESIGN DRAWINGS CFR 17. Pigest 17. Pigest 2. Sectional designation should be noted with Arabic of 18. Note that the standing row used top volunt out the Noman nutries. Pigest 18. Pigest 1		7 SECTIONAL VIEWS 37 CER - Name of
Fig(s) Sectional designation should be noted with Arabic or Solid black shading not used for voluments Roman numbers. Fig(s) Fig		
Roman number. Fig. S. COMMENTS COMMENTS REVIÈWER		(s)
COMMENTS COMMENTS DATE 4.3.02 TELEPHONE NO. 703365 6436		
REVIEWER J-(H-45-02 TELEPHONE NO. 703365-6436	(27/28)	Kondan nemocify ragys)
REVIEWER J-(HZLSSEE DATE 4-3-02 TELEPHONE NO. 703365-6436	•	
REVIEWER J-(H-45-02 TELEPHONE NO. 703365-6436	erakan gerapunan angkan sa sa sa sa angkan dan pang a sa sa fa sa mana dan dan kanada dan dan dan sa sa sa sa sa sa sa sa sa sa sa sa sa	
		COMMENTS
		taran da da da da da da da da da da da da da
		1
	A of G to deposit the second of the second o	
	500 - ATTACK AND AND AND AND AND AND AND AND AND AND	
		The second second second second second second second second second second second second second second second se
	, , , , , , , , , , , , , , , , , , ,	, and the second of the second
ATTIA CHIMENA, TORARER NO. 4	<u> </u>	· REVIEWER 1-CHALL DAIL
ATERACHMENT: TORREPERNO.		The state of the s
ATITACHMENA; TORRAPERNO.		
US GP.0. 2001 476-915		ATTACHMENT: TOPKPER NO -
US GPO. 2001 479-615	· Marc.	
US G.P.O. 2001 470-615		
US GP.0. 2001 476-615		· 中国建筑建筑建筑,
US GPO 2001 476-915		
	A CONTRACTOR OF THE PROPERTY O	U.S. G.P.O. 2001 478-91
	The state of the s	

Attachment for PTO-948 (Rev. 03/01, or earlier) 6/18/01

The below text replaces the pre-printed text under the heading, "Information on How to Effect Drawing Changes," on the back of the PTO-948 (Rev. 03/01, or earlier) form.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Informalities -- 37 CFR 1.85

New corrected drawings must be filed with the changes incorporated therein. Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin. If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the Notice of Allowability. Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136(a) or (b) for filing the corrected drawings after the mailing of a Notice of Allowability. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.

2. Corrections other than Informalities Noted by Draftsperson on form PTO-948.

All changes to the drawings, other than informalities noted by the Draftsperson, MUST be made in the same manner as above except that, normally, a highlighted (preferably red ink) sketch of the changes to be incorporated into the new drawings MUST be approved by the examiner before the application will be allowed. No changes will be permitted to be made, other than correction of informalities, unless the examiner has approved the proposed changes.

Timing of Corrections

Applicant is required to submit the drawing corrections within the time period set in the attached Office communication. See 37 CFR 1.85(a).

Failure to take corrective action within the set period will result in **ABANDONMENT** of the application.